

ARMSTRONG VINYL FACED PLASTERBOARD CEILINGS BPIR DECLARATION



Version 1.0 December 2023

DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

Tasman Insulation Ltd T/A Comfortech® Building Performance Solutions (Comfortech®) has provided this declaration to satisfy the provisions of the [Building \(Building Product Information Requirements\) Regulations 2022](#).

COMPANY DETAILS

Name	Tasman Insulation Ltd T/A Comfortech® Building Performance Solutions
Role	Supplier
NZBN	9429037894139
Address	9-15 Holloway Place, Penrose, Auckland 1061
Website	www.comfortech.co.nz
Email	technicalsupport@comfortech.co.nz
Phone	0800 454 000

DESCRIPTION OF BUILDING PRODUCT

Comfortech® supplies the [Armstrong](#) ARMGYP vinyl faced plasterboard ceiling tile. They are intended for use in interior applications as suspended ceilings although may be direct fixed over an existing ceiling.

An Australian company, Armstrong (Australia) Pty Ltd has been in operation for more than 60 years. [Armstrong Ceiling Solutions](#) has Green Tag Certification and a Platinum Product Health Declaration in respect of many of its products including those supplied by Comfortech®. The Product Health Declaration is a whole of life assessment.

Suspended ceiling systems and ceilings fixed over existing ceilings don't contribute to the building code compliance of a building but, despite this, Comfortech® have elected to prepare a BPIR declaration.

The ARMGYP ceiling panel may,

- hide building services such as ventilation systems,
- improve the aesthetic of the space by reducing the ceiling height or by disguising an existing ceiling.

When tested by [BRANZ](#), the ARMGYP ceiling tiles achieved material group number 1S.

The tiles are installed with 24 mm [PeakForm](#) grid systems.

Comfortech supplies panel size of 1200 x 600 x 10 mm.

The panels are coloured bright white which has a high light reflectance. The vinyl facing provides a washable face.

COMFORTECH®

9-15 HOLLOWAY PLACE, PENROSE, AUCKLAND 1061

0800 454 000 | www.comfortech.co.nz

Uncontrolled in printed format



CONTRIBUTION TO BUILDING WORK CODE OBLIGATIONS

Armstrong ARMGYE vinyl faced plasterboard ceiling tiles do not contribute to the code compliance of the building work. However, when suspended, they must be installed in accordance with AS/NZS 2785:2020 Suspended Ceilings – Design and Installation.

FOR FURTHER INFORMATION

Armstrong ARMGYE vinyl faced plasterboard ceiling tiles must be installed and maintained with all Comfortech® requirements.

For design, installation, and maintenance related information, and for information supporting Comfortech® claims, refer to www.comfortech.co.nz.

RESPONSIBLE PERSON

In accordance with Regulation 8, as the responsible person, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's processes and is, therefore, to the best of my knowledge, correct.

I can also confirm that the Armstrong ARMGYE vinyl faced plasterboard ceiling tiles that are referred to in this declaration are not subject to a ban or warning under [s26 of the Building Act](#).

Signed for and on behalf Tasman Insulation Ltd T/A Comfortech® Building Performance Solutions:

Todd Lindsay

Todd Lindsay
BUILDING PERFORMANCE & TECHNICAL MANAGER

December 2023

COMFORTECH®

9-15 HOLLOWAY PLACE, PENROSE, AUCKLAND 1061

0800 454 000 | www.comfortech.co.nz

Uncontrolled in printed format

**COMFORTECH**
BUILDING PERFORMANCE SOLUTIONS