

## SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**NG GRAFITEX** 

#### 1.1 Product identifier

#### Product name

Synonym(s)

CFC32 • FLEXIWRAP • FWC100 • FYREBLOCK • INTUMESCENT STRIP • PROMASEAL FC • PROMASEAL FCD • PROMASEAL FCS • PROMASEAL FCW • PROMASEAL FWR • PROMASEAL GREEN CAST IN COLLARS • PROMASEAL HI-BLU PROMASEAL HI-BLU • UNICOIL • UNICOLLAR • UNIWRAP

#### 1.2 Uses and uses advised against

Use(s)

FIRE PROTECTION APPLICATIONS 

INDUSTRIAL APPLICATIONS

#### 1.3 Details of the supplier of the product

Supplier name	PROMAT AUSTRALIA PTY LTD
Address	1 Scotland Road, Mile End, SA, 5031, AUSTRALIA
Telephone	(08) 8352 6759
Fax	(08) 8352 1014
Website	www.promat.com.au

#### 1.4 Emergency telephone number(s)

Emergency

(08) 8352 6759

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### 2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

No information provided.

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
GRAPHITE	7782-42-5	231-955-3	<40%
PVC RESIN	24345-02-6	246-181-1	<30%
DIOCTYL ADIPATE	103-23-1	203-090-1	<10%
1-HEXADECENE	629-73-2	211-105-8	<1%
AZODICARBONAMIDE	123-77-3	204-650-8	<0.5%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder
PLASTICISER(S)	-	-	<10%
TRIS(2-ETHYLHEXYL) BENZENE-1,2,4-TRICARBOXYLATE	3319-31-1	222-020-0	<10%
EPOXIDISED SOYBEAN OIL	8013-07-8	232-391-0	<5%



## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Еуе	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to product form and application, ingestion is considered unlikely.
First aid facilities	None allocated.

#### 4.2 Most important symptoms and effects, both acute and delayed

Adverse effects not expected from this product under normal conditions of use.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

#### 5.3 Advice for firefighters

No fire or explosion hazard exists.

### 5.4 Hazchem code

None allocated.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in dry area out of direct sunlight. Maintain product in sealed packaging as supplied.

#### 7.3 Specific end use(s)

No information provided.

# ChemAlert.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

### Exposure standards

Ingredient	Reference	TWA		STEL	
ingreacht		ppm	mg/m³	ppm	mg/m³
Graphite (all forms except fibres)	SWA (AUS)		3		

**Biological limits** No Biological Limit Value allocated.

#### 8.2 Exposure controls

**Engineering controls** No special precautions are normally required when handling this product.

#### PPE

Eye / Face	Not required under normal conditions of use.
Hands	Not required under normal conditions of use.
Body	Not required under normal conditions of use.
Respiratory	Not required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	BLACK SOLID
Odour	ODOURLESS
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
рН	5.5 to 7.0
Vapour density	NOT AVAILABLE
Specific gravity	NOT AVAILABLE
Solubility (water)	INSOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Compatible with most commonly used materials.

# ChemAlert.

## PRODUCT NAME NG GRAFITEX

#### 10.6 Hazardous decomposition products

Likely to evolve toxic gases if heated to decomposition (I.e. >150°C).

## **11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute toxicity This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects are not anticipated.

#### Information available for the ingredient(s):

Ingredient		Oral Toxicity (LD50)	Dermal Toxicity (LD50)	Inhalation Toxicity (LC50)
DIOCTYL ADIPATE		9100 mg/kg (rat)	> 8670 mg/kg (rabbit)	
1-HEXADECENE		> 2,000 mg/kg (rat)	> 2,000 mg/kg (rabbit)	> 5 mg/L/4hrs (rat)
AZODICARBONAMID	E	> 6400 mg/kg (rat)	> 500 mg/kg (rat)	
TRIS(2-ETHYLHEXYL BENZENE-1,2,4-TRIC		> 60 g/kg mouse		
EPOXIDISED SOYBE	AN OIL	40 g/kg (rat)		
Skin	Not classified as a skin irritant. Skin irritation is not anticipated under normal conditions of use.			
Еуе	Not classified as an eye irritant. Eye irritation is not anticipated under normal conditions of use.			ions of use.
Sensitisation	Not classified as causing skin or respiratory sensitisation.			
Mutagenicity	Not classified as a mutagen.			
Carcinogenicity	Not classified as a carcinogen.			
Reproductive	Not classified as a reproductive toxin.			
STOT – single exposure	Not classified as causing organ damage from single exposure.			
STOT - repeated exposure	Not classified as causing organ damage from repeated exposure.			
Aspiration	Not relevant.			

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Low toxicity to aquatic organisms.

#### 12.2 Persistence and degradability

This product is not readily biodegradable.

#### 12.3 Bioaccumulative potential

This product is not expected to bioaccumulate.

#### 12.4 Mobility in soil

This product is not likely to volatise rapidly into the air because of its low vapour pressure. It is not likely to move rapidly with surface or groundwater flows because of its low water solubility.

#### 12.5 Other adverse effects

TVOC 0g/L by Weight. The TVOC value has been calculated theoretically from the total sum of VOC content within each raw material contained within this product & its manufacturing process. This product is supplied in cured form and forms part of a fire stopping system. The calculation method used to establish TVOC content of this product is in accordance with the formula as specified in "The South Coast Air Quality Management District Rule 1168".

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Waste disposalThis product is recyclable, please contact Promat Australia for further details & prevailing conditionsLegislationDispose of in accordance with relevant local legislation.

## ChemAlert.

## 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.

## 15. REGULATORY INFORMATION

15.1 Safety, health ar	nd environmental regulations/legislation specific for the substance or mixture		
Poison schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).		
Classifications	Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.		
	The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].		
Hazard codes	None allocated.		
Risk phrases	None allocated.		
Safety phrases	None allocated.		
Inventory listing(s)	AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS, or are exempt.		

## **16. OTHER INFORMATION**

Additional information RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



## PRODUCT NAME NG GRAFITEX

Abbreviations	ACGIH CAS # CNS EC No. EMS	American Conference of Governmental Industrial Hygienists Chemical Abstract Service number - used to uniquely identify chemical compounds Central Nervous System EC No - European Community Number Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous
	GHS GTEPG IARC LC50 LD50 mg/m <sup>3</sup> OEL pH STEL STOT-RE STOT-RE STOT-SE SUSMP SWA TLV TWA	Goods) Globally Harmonized System Group Text Emergency Procedure Guide International Agency for Research on Cancer Lethal Concentration, 50% / Median Lethal Concentration Lethal Dose, 50% / Median Lethal Dose Milligrams per Cubic Metre Occupational Exposure Limit relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). Parts Per Million Short-Term Exposure Limit Specific target organ toxicity (repeated exposure) Specific target organ toxicity (single exposure) Standard for the Uniform Scheduling of Medicines and Poisons Safe Work Australia Threshold Limit Value Time Weighted Average
Report status	This document has been compiled by RMT on behalf of the manufacturer, importer of product and serves as their Safety Data Sheet ('SDS').	
	manufacturer, the current sta at the time of	on information concerning the product which has been provided to RMT by the importer or supplier or obtained from third party sources and is believed to represent ate of knowledge as to the appropriate safety and handling precautions for the product f issue. Further clarification regarding any aspect of the product should be obtained he manufacturer, importer or supplier.
	not provide an no liability for	as taken all due care to include accurate and up-to-date information in this SDS, it does ny warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts any loss, injury or damage (including consequential loss) which may be suffered or ny person as a consequence of their reliance on the information contained in this SDS.
Prepared by	Risk Managen 5 Ventnor Ave Western Austr Phone: +61 8 Fax: +61 8 93 Email: info@rr Web: www.rm	ralia 6005 9322 1711 22 1794 mt.com.au
		[ End of SDS ]