

# **SAFETY DATA SHEET**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name PROMATECT-100

Synonym(s) PT100

1.2 Uses and uses advised against

Use(s) BUILDING MATERIAL ● FIRE PROTECTION

1.3 Details of the supplier of the product

Supplier name PROMAT AUSTRALIA PTY LTD

Address 1 Scotland Road, Mile End, SA, 5031, AUSTRALIA

 Telephone
 (08) 8352 6759

 Fax
 (08) 8352 1014

 Website
 www.promat.com.au

1.4 Emergency telephone number(s)

**Emergency** (08) 8352 6759

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### 2.2 Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

## 2.3 Other hazards

No information provided.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
ADDITIVE(S)	-	-	Remainder
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	<1%
CALCIUM SILICATE	1344-95-2	215-710-8	>60%
BINDING AGENT	-	-	6 to 30%

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to

product form and application, ingestion is considered unlikely.



SDS Date: 28 Nov 2016 Version No: 2.7

#### PRODUCT NAME PROMATECT-100

First aid facilities None allocated.

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

## 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

# 5.1 Extinguishing media

Non flammable. Use an extinguishing agent suitable for the surrounding fire.

# 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

## 5.3 Advice for firefighters

Non flammable. No fire or explosion hazard exists.

#### 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

# **6.2 Environmental precautions**

Prevent product from entering drains and waterways.

## 6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

# 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

## 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled and tightly closed when not in use.

# 7.3 Specific end use(s)

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters

## **Exposure standards**

Ingredient	Reference	TWA		STEL	
Ingredient	Reference	ppm	mg/m³	ppm	mg/m³
Calcium silicate (a)	SWA (AUS)		10		
Quartz (respirable dust)	SWA (AUS)		0.1		

## **Biological limits**

No biological limit values have been entered for this product.



SDS Date: 28 Nov 2016 Version No: 2.7

#### PRODUCT NAME PROMATECT-100

#### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Maintain dust levels below the recommended exposure standard. Significant dust and respirable quartz may be generated during the machining of this product and efficient local exhaust ventilation at the point of dust emission is strongly recommended. Respiratory protection (e.g. minimum P2 particulate respirators) is required to be worn by operators if exhaust ventilation is not effective in keeping

exposures below the Exposure Standard.

**PPE** 

Eye / Face If cutting or sanding with potential for dust generation, wear dust-proof goggles. Hands If cutting or sanding with potential for dust generation, wear leather or cotton gloves.

**Body** Not required under normal conditions of use.

If cutting or sanding with potential for dust generation, wear a Class P1 (Particulate) respirator. Respiratory

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

**Appearance** OFF-WHITE COLOURED BOARD

Odour **ODOURLESS Flammability** NON FLAMMABLE **NOT RELEVANT** Flash point **Boiling point NOT AVAILABLE NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate** рΗ 9 (Approximately) Vapour density NOT AVAILABLE Specific gravity NOT AVAILABLE Solubility (water) **INSOLUBLE** Vapour pressure NOT AVAILABLE Upper explosion limit NOT RELEVANT Lower explosion limit NOT RELEVANT **Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE** Decomposition temperature **NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE** 

# 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

# 10.2 Chemical stability

Stable under recommended conditions of storage.

# 10.3 Possibility of hazardous reactions

Polymerization will not occur.

# 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

# 10.5 Incompatible materials

Compatible with most commonly used materials.

# 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.



SDS Date: 28 Nov 2016

Version No: 2.7

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

Skin Low irritant. Prolonged or repeated exposure to dust may result in irritation and dermatitis.

Eye Low irritant. Due to product form, the potential for exposure is reduced, unless cut or heated and dust or

fumes generated.

**Sensitisation** Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen. Adverse health effects, usually associated with long term exposure to high

crystalline silica dust levels are not anticipated due to product form. This product may only present a hazard if the boards are cut or drilled with dust generation. Crystalline quartz is classified as carcinogenic to humans

(IARC Group 1).

**Reproductive** Not classified as a reproductive toxin.

STOT - single Not classified as causing organ damage from single exposure. An inhalation hazard is not anticipated unless

**exposure** cut, drilled or sanded with dust generation, which may result in irritation of the nose and throat.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

**Aspiration** This product does not present an aspiration hazard.

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No information provided.

# 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

# 12.4 Mobility in soil

No information provided.

# 12.5 Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

**Waste disposal** Reuse where possible. No special precautions are normally required when handling this product.

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

# NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

## 14.5 Environmental hazards

No information provided.

#### 14.6 Special precautions for user



SDS Date: 28 Nov 2016 Version No: 2.7

#### PRODUCT NAME PROMATECT-100

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous

Substances [NOHSC: 1008(2004)].

Hazard codes None allocated.

Risk phrases None allocated.

Safety phrases None allocated.

Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

## 16. OTHER INFORMATION

#### Additional information

General Note: When machining this product airborne dust may be released, which may be hazardous for health. Do not breathe the dust. Avoid contact with skin and eyes. Use dust extraction, respect regulatory occupational exposure limits for total inhalable and respirable dust.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

# HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 28 Nov 2016

Version No: 2.7

#### PRODUCT NAME PROMATECT-100

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

## Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au.

[ End of SDS ]

Page 6 of 6



SDS Date: 28 Nov 2016

Version No: 2.7